

[www.VigilantAerospace.com](http://www.VigilantAerospace.com)


[info@VigilantAerospace.com](mailto:info@VigilantAerospace.com)

Tel: 1.844.SafeSky



**VIGILANT  
AEROSPACE  
SYSTEMS™**

INTEGRATION OF MULTI-SENSOR  
ACTIVE DETECT-AND-AVOID  
SYSTEMS WITH UTM TOWARDS  
A COMPREHENSIVE SAFETY  
SYSTEM ENABLING UAM / AAM



**XPONENTIAL™**

# Background

- Vigilant Aerospace Systems & FlightHorizon
- Focused on developing detect-and-avoid and airspace management systems
- FlightHorizon based on two NASA patents, projects with NASA, FAA, UAS test sites, and multiple USAF and civilian programs
- Fully-integrated multi-sensor systems for both ground and onboard use
- Use of both local sensors and online data sources and can be used online/offline



# Agenda

1. Key elements for AAM safety
2. Technical requirements
3. FAA UTM ConOp 2.0
4. Technical Requirements & Technical Standards
5. Process to Design Safe System
6. Components – Example Implementation
7. User interface and UTM functions
8. Example Projects
9. Summary and Questions

# Key Elements for AAM Safety

---

- AAM safety will require **interlocking** technologies to create **multiple** layers of **safety** and **coordination**.
- **Safety**
  - Strategic
    - Certification, choice of where/how to fly and what to fly
  - Operational
    - Flight rules, coordination, flight authorization, procedures
  - Tactical
    - Air traffic surveillance, situational awareness, automatic avoidance



# FAA UAM ConOp 2.0 – April 26, 2023




Figure 1: Notional Overview of Future Complementary Service Environments

# Technical Requirements

---



*NASA airspace managers using FlightHorizon for sonic boom testing.*

- Cooperative and non-cooperative air traffic
- Private sensors – take-off, landing, facilities, infrastructure
- Coordination of both onboard and ground-based surveillance
- Distribution of shared surveillance data (SDSP model)
- Distribution of coordination data (UTM / xTM - reservations)
- Low-altitude coordination for drone-to-drone and drone-to-aircraft

# Technical Standards


- Why use standards?
  - Consensus industry standards create agreement, certainty and technical targets
  - Support investment and development
- Relevant Standards
  - ASTM F3442/F3442M-20 – Detect and Avoid System
  - RTCA DO-365b – ACAS sXu via NASA DAIDALUS II: Minimum Operational Performance Standards for Detect and Avoid Systems
  - FAA AC 20-172b – ADS-B In Systems
  - RTCA DO-178c – Software Verification

# Approach to Safety








# System Implementation




# System Implementations



# Detect-and-Avoid User Interface





# Multi-Aircraft DAA



Multi-Aircraft Airspace Management with Collision Avoidance

# UTM Functions



- Telem ON OFF
- ADS-B ON OFF
- RID ON OFF
- Echoguard 1 ON OFF
- Echoguard 2 ON OFF
- Harrier ON OFF
- FAA Data ON OFF
- KLV ON OFF


# BVLOS Flights in Alaska - 2021




# Small UAS Ops – 2018 - Present



**OKLAHOMA  
AEROSPACE INSTITUTE**  
FOR RESEARCH AND EDUCATION



# US Air Force Pilot Project - Ongoing





# Summary

- Safe AAM will require coordination of multiple data sources
- UTM and associated elements provide a framework for delivery of services to end-user organizations
- Standards create certainty and ensure interoperability
- Scalability will require integration and automation
- Active DAA requires consideration of air and ground risks, appropriate sensors and surveillance
- Active DAA using multiple data sources and correlation can improve baseline safety in UTM



# Questions?